INGENEXT

EXTEND THE POWER

INSTALLATION GUIDE TO UPDATE THE BOOST 50

VERSION 2.3.0.211- 2023

- By performing the Boost 50 module update, the **SETTINGS** of your module will be **RESET**.

- We recommend that you **WRITE DOWN** your settings before performing the update.

- Depending from which version you're upgrading, your AP password might stay the same or might be reset to the default one "ingenext", just keep that in mind when you'll want to reconnect

- **TURN OFF** your computer's antivirus software while installing the update.

- You don't have to update the **NICE TRY** module.

STEPS

1 Before removing your module, you **HAVE** to **TURN OFF YOUR CAR**. Select **SAFETY & SECURITY** from the menu and press **POWER OFF**. See figure 1



Figure 1

2 Remove the module from the car

3 To connect the module to your computer, use **THE INGENEXT FOR FUTURE UPDATES WIRE** provided in the box. See figure 2

The computer must have at least **WINDOWS 7** and running a **64-BIT VERSION**. To check if your computer is running the right version click here.

Figure 2

4 To start the software, **RIGHT-CLICK** on the icon and select **RUN AS ADMINISTRATOR**

5 A window will appear on the screen allowing you to see the progress of the updates which will take about **3 MINUTES**. See figures 3 & 4

Figure 3



Figure 4



6 When the updates are complete, the message **FIRMWARE UPDATED SUCESSFULLY** will appear on the screen. See figure 5

Figure 5



7 **DISCONNECT** and **RECONNECT** the USB connection to the module once you're done to force a power cycle before trying to connect to the Ingenext app.

AN ERROR MESSAGE APPEARS ON YOUR COMPUTER DURING THE UPDATE?

1. TURN OFF your computer's antivirus software while installing the update.

2. CLOSE the software

3. DISCONNECT and RECONNECT the module.

4. Re-start the software by right-clicking on the icon and select RUN AS ADMINISTRATOR

- If you are unable to install the update, try installing it on ANOTHER COMPUTER.

- If you are still unable to update the module, PLEASE contact info@ingenext.ca for assistance

HOW TO CHECK IF THE MODULE IS UPDATED?

- Before installing the module in your car, we recommend that you **DOUBLE-CHECK** that the update has been completed.

- Find the Ingenext WiFi access point on your smartphone, tablet or laptop. The name of the access point (AP) will be "Ingenext_xxxxxx" , with the last portion being the unique serial number for each module.

- Log in with your password chosen during the installation of the Boost 50 module.

- On IOS devices , a captive screen will appear (the same type when you log into an hotel AP). Then click on the "Cancel" button and click on "Use without Internet " option at the bottom. You also need to make sure that you **are not connected to a VPN.**

- Open a new web browser page and type 192.168.0.1 in the address bar. Go to the bottom of the page and make sure it is says Revision: **2.3.0.211** See figure 6

Figure 6

HOW TO RECONNECT THE MODULE TO YOUR CAR ?

1 Before reconnecting your module, you HAVE to TURN OFF YOUR CAR. Select SAFETY & SECURITY from the menu and press POWER OFF. See figure 1

2 Reconnect the module to your car

3 Start your car by applying the brakes

If the module has been successfully updated, no error message should appear on your car's screen.

Any reproduction or use in any form in whole or in part of this document is strictly prohibited without the authorization of the authors.